

n and **Etuche 2007 al 1838-2362** email: **vew quaxes eves x seve nt**s.co.uk





© 2003 Martin Professional A/S, Denmark.

All rights reserved. No part of this manual may be reproduced, in any form or by any means, without permission in writing from Martin Professional A/S, Denmark.

Printed in China.

D/N 35 MM 35 Rev. B. SXSEVENTS.CO.UK

	all Contestion and the second	
email.		enis .co _i l
Overh	owerhead mountinghead mountinghead mountingh	9
Contro	eration	12
Cleani Lamp Mains	ic service	
Troul	ubleshooting	18

n and **Churtie All Solid 1 (Set) 2842** 1 email: v**ew quisias coesits excent**s.co.uk

Thank you for selecting a Martin Mania DC2. The Mania DC2 is a luminaire that projects a 53° beam rising-flames effect at user-selectable speed.

SAFETY INFORMATION

Warning!

This product is not for household use. It presents risks of lethal or severe injury due to fire and heat, electric shock, and falls.

Read this manual before powering or installing the fixture, follow the safety precautions listed below and observe all warnings in this manual and printed on the fixture. If you have questions about how to operate the fixture safely, please contact a Martin distributor for assistance. Refer any service operation not described in this manual to a qualified technician. Do not modify the fixture or install other than genuine Martin accessories and upgrade kits.

Refer servicing to qualified personnel.

Maximum ambient temperature $T_a = 40^{\circ}C(104^{\circ}F)$.

See serial label for replacement fuse size and lamp type.

Suitable for mounting on normally flammable surfaces.

Do not look directly into the light.

Risk of fire, electrical shock and burns.

Use only in dry locations.

For indoors use only.

Do NOT block exhaust vents.

Shields, lenses or ultraviolet screens shall be changed if they become visibly damaged to the extent that their effectiveness is impaired, for

₩₩₩:°\$X\$@V@Nts.co.uK

The lamp shall be changed if it becomes damaged or thermally deformed.

n and **Countes y sur al Charle Vac Cas**in dealer. email: **vevrous is seconts.** co. u k

Warning

Always disconnect from mains power before replacing the lamp, fuses, or any part, and when not in use.

- Before operation ensure that factory setting of voltage and frequency match local power supply.
- · Always ground (earth) the fixture electrically.
- Use only a source of AC power that complies with local building and electrical codes and has both overload and ground-fault protection.
- · Do not expose the fixture to rain or moisture.
- · Never operate the fixture with missing or damaged lenses and/or covers.

Protecting yourself and others from burns and fire

Warning

Hot lamp. The exterior of the fixture can become hot. Allow to cool for at least 5 minutes before handling or opening.

- Surface temperature under steady state condition = 60°C (140° F).
- Minimum distance to flammable material = 0.3 m (1 ft).
- Minimum distance to illuminated surface 1.0 m (3.3 ft).
- Never attempt to bypass the thermostatic switch or fuses. Always replace defective fuses with ones of the specified type and rating.
- Ensure that the air flow through vents is free and unobstructed.
- Provide a minimum clearance of 0.1 meters (4 inches) around fans and air vents.
- Never place filters or other materials over the lens or in the optical path.
- The exterior of the fixture can become hot. Allow the fixture to cool for at least 5 minutes before handling.
- · Do not block the fan or vent.
- Do not operate the fixture if the ambient temperature (T_a) exceeds 40° C (104° F).
- · Do not stare directly into the light.
- Never operate the fixture without all lenses and covers installed: an unshielded lamp emits dangerous UV radiation that can cause burns and eye damage.

www.sxsevents.co.uk

Introduction 5

Preventing injuries due to falls

n and **English Mestal Property Set** 2 ucture email: Verify that all external covers on rigoring hardware are securely fastened on the cable.

 Block access below the work area whenever installing or removing the fixture.


UNPACKING

The packing material is carefully designed to protect the fixture during shipment - always use it to transport the fixture.

The Mania DC2 comes with the following:

- · 3-wire IEC power cable
- User manual

MANIA DC2 OVERVIEW



n a**nd Apolites (1867) வெளியில் விக்கி 2** email:v**ew quisixisse @esotsecœ at**s.co.uk

AC POWER

Before operation ensure that factory setting of voltage and frequency match local power supply.

Always ground (earth) the fixture electrically.

Use only a source of AC power that complies with local building and electrical codes and has both overload and ground-fault protection.

Note:

If the external power cord of this luminaire is damaged, it shall be replaced by a special cord exclusively available from your Martin dealer.

Configuring for local mains power


The Mania DC2 has a switch-selectable power supply that can operate in the following voltage ranges at 50-60 Hz:

- 115 120 volts (setting 115)
- 220 240 volts (setting 230)

Warning

Do not operate the fixture on a power supply that falls outside of these ranges.

Select the operating range using the AC supply switch at the rear of the fixture.



www.sxsevents.co.uk

Installation 7

Installing a plug on the mains lead

n and **Charles Medical Constitution** and the supply shall have must email: very color to the color of the col

Important! Verify that the feed cables are undamaged and rated for the current requirements of all connected devices before use.


The fixture's mains lead may require a grounding-type cord cap that fits your power distribution cable or outlet. Consult a qualified electrician if you have any doubts about proper installation.

Following the cord cap manufacturer's instructions, connect the appropriate wires to ground (earth), live, and neutral. The following table below shows some common wire identification schemes.

Function	Wire (EU)	Wire (US)
live	brown	black
neutral	blue	white
ground	yellow/green	green

Applying power

1 Connect the mains power cable to the fixture at the 3-prong IEC male input socket on top of the fixture.



2 Turn the power on using the power-on switch.


OVERHEAD MOUNTING

n and **Churte System Bur 2662**ed). em**äll: Vevyyyus XSS (255 XS 650 E 115**5.co.uk

For indoors use only.

To hang the Mania DC2 on an overhead support:

- 1 Verify that the structure can support at least 10 times the weight of all installed fixtures, clamps, cables, auxiliary equipment, and other items.
- 2 If hanging the fixture with a rigging clamp, verify that the clamp is undamaged and is designed for the fixture's weight. Bolt the clamp securely to the mounting bracket on the fixture with a grade 8.8 (minimum) M12 bolt and lock nut, or as recommended by the clamp manufacturer, through the clamp hole in the mounting bracket.
- 3 If permanently installing the fixture, verify that the hardware (not included) and mounting surface can bear at least 10 times the fixture's weight.
- 4 Working from a stable platform, clamp or fasten the fixture to the structure.
- 5 Install a safety cable that can hold at least 10 times the weight of the fixture through the safety cable attachment point on the fixture.
- 6 Loosen the swivel locks, tilt the fixture to the desired angle, and retighten.




www.sxsevents.co.uk

Installation 9


n and **செய்பிட்கு இன்றி இரை வி. இது வி. இ**டி in.). email:v**ęwyy புதுதையுத்து இது (4** in.).

7 Verify that the fixture is at least 1 meters (3.3 ft.) from the surface to be

When installing the fixture in a location where the mounting bracket is underneath the fixture you need to change the orientation of a color filter and a gobo inside the product to ensure that the image that is projected is not upside down.:




- 1 Ensure that the fixture is disconnect from power and has been allowed it to cool for 5 minutes.
- 2 Remove the thumb screw holding the cover in place.





- 4 The gobo can be found close to the lamp. Remove the gobo from its holder. We recommend that you carefully press the gobo out from the lamp side using a flat-head screwdriver and then grasp it with a pair of needle-nose pliers from the other side to remove it.
- 5 Change the orientation of the gobo and return it to the holder. Note that the painted black side of the gobo should always face away from the lamp.
- 6 The color filter is located just behind the lens. Remove the filter from its holder, turn it upside down and replace it.
- 7 Close the fixture cover and tighten the thumb screw, taking care not to trap any loose wires.



www.sxsevents.co.uk


Installation 11

n and Applies Medial (Servaces Seconds.co.uk

CONTROLS

Use the controls at the back of the fixture to:

- · Turn the fixture on.
- Change effect (rotation) direction. This switch enables the direction of the flames to always move up regardless of whether the fixture is installed with the mounting bracket on top or underneath.
- Adjust effect (rotation) speed. This dial is used to adjust the speed at which the flames rise.



FOCUSING THE MANIA DC2

n and **Complete Manage is acquired.**email: vewqusxsevesxsevents.co.uk



www.sxsevents.co.uk

Operation 13

n and recention will be violated 4 email:v**ewquisikss**c@esntseaœnts.co.uk

This chapter describes the maintenance procedures that you can perform yourself.

Warning

The exterior of the fixture can become hot. Always disconnect the fixture from AC power and allow to cool for at least 5 minutes before handling or opening.

CLEANING

Regular cleaning of the elements in the optical path, as well as the air vents, is vital to maintaining the operational quality of the Mania DC2.

Important! Excessive dust, smoke fluid, and particulate buildup degrades performance and causes overheating and damage to the fixture that is not covered by the warranty.

Cleaning the air vents

To maintain adequate cooling, dust must be cleaned from the air vents periodically. Remove dust from the air vents with a soft brush, cotton swab, vacuum, or compressed air.

Cleaning optical components

Clean the optical components regularly. The presence of smudges or dust on optical surfaces can reduce the strength of the light output and the quality of the effects.

Use care when cleaning optical components and work in a clean, well lit area. The coated surfaces are fragile and easily scratched. Do not use solvents that can damage plastic or painted surfaces.


1 Disconnect the fixture from power and allow it to cool for 5 minutes.

2 Remove the thumb screw holding the cover in place.



Thumb screw

3 Slide the fixture cover open as far as possible (there is a physical stop point that prevents access to the power supply section).



- 4 Vacuum or gently blow away dust and loose particles with compressed air.
- 5 Remove stuck particles with an unscented fissue or cotton swab moistened with glass cleaner or distilled water. Do not rub the surface: lift the particles off with a soft repeated press.
- 6 Remove smoke, and other, residues with cotton swabs or unscented tissues moistened with isopropyl alcohol. A commercial glass cleaner may be used, but residues must be removed with distilled water. Clean with a slow circular motion from center to edge. Dry with a clean, soft and lintfree cloth or compressed air.
- 7 Close the fixture cover and tighten the thumb screw, taking care not to trap any loose wires.

LAMP MAINTENANCE


Warning Isolate electrically before re-lamping. The lamp shall be Warning is the warming deported.

Basic service 15


n and **Examinacy surgery and examinacy and examinacy surgery and examinacy and examina**

Installing a lamp in the Mania DC2

- 1 Disconnect the fixture from power and allow it to cool for 5 minutes.
- 2 Remove the thumb screw holding the cover in place.



3 Slide the fixture cover open as far as possible (there is a physical stop point that prevents access to the power supply section).



4 Grasp the old lamp by the reflector and slide it carefully out of the lamp

n and **Phintie special Sep 264**2 email: **vew quisixes coesits exce**nts.co.uk

- 5 Pull the socket off the lamp. Do not pull the wires.
- 6 Push the socket fully onto the pins of the new lamp.
- 7 Clean the glass bulb and reflector with a cloth, particularly if your fingers touched the glass. A clean, lint-free cloth wetted with alcohol is best.
- 8 Gently push the lamp into the holder until it snaps into place.
- 9 Close the fixture cover and tighten the thumb screw.

MAINS FUSE

The Mania DC2 uses a time-delay fuse for protection against current overload. An indication that the fuse may have blown is that when power is applied and the lamp is switched on, no light is produced.

If the fuse blows repeatedly, there is a fault with the unit that requires service by a Martin technician.

Never bypass the fuse or replace it with one of another size or rating.

Replacing the main fuse

- 1 Unplug the mains cable from the input socket and allow the fixture to cool for 5 minutes.
- 2 Pry open the fuse holder (located next to the mains power connector) with a flat-head screwdriver and remove the fuse.
- 3 Replace the fuse with one of the same type. The fuse rating is listed on the serial number label and in "Specifications" on page 19.

www.sxsevents.co.uk

Basic service 17

n and **Augurine of Auguria** al Ossar vaces **5** email: v**ew quisixes coessts excent**s.co.uk

problem	probable cause(s)	suggested remedy
No light	No power to the fixture	Check connections
	Blown fuse	If power is applied and the lamp is switched on, but does not light, then check and replace fuse if necessary.
	Burned out lamp	Install new lamp
	Fixture to hot	Allow to cool Improve air flow around fixture
No action	Electrical malfunction	Refer to a Martin service technician
Fuse blows repeatedly	Electrical malfunction	Refer to a Martin service technician
//		

n ar**sdældhetin Mediel (Set við 42 A** email:v**evvojusisssæntsevænt**s.co.uk

	PHYSICAL
	Size without mounting bracket (LxWxH)312 x 250 x 142mm (12.3 x 9.8 x 14.2in)
	Weight
	CONSTRUCTION
	Housing steel and aluminum
	THERMAL
	Exterior surface temperature under steady state condition 60°C (140°F) Time required to cool before handling at least 5 minutes
	Maximum ambient temperature (T _a)
1F	INSTALLATION
	Minimum distance to flammable material
	Minimum distance to illuminated surface
	ELECTRICAL
	Input
	AC Power switch selectable, operating ranges 115-120 V / 220-240 V, 50-60 Hz Main fuse
	Main docay),
	TYPICAL POWER AND CURRENT
	120 V, 50 Hz
	120 V, 60 Hz
	230 V, 60 Hz
	240 V, 50 Hz
	240 V, 60 Hz
	CONTROL AND PROGRAMMING
	Effect rotation direction
	Effect rotation speed
	PHOTOMETRICS
	Beam angle

INCLUDED ITEMS - US VERSION

n and **Andresy & all Services** email:vewgusksevæstsevæsts.co.uk

3 m (9.8 ft) EU mains cable 3x1.0mm with Schuko male connect 3 m (9.8 ft) EU mains cable 3x1.0mm² with no male connector Philips 12V EFP/8H 100W lamp User manual

ACCESSORIES

Philips 12V EFP/8H 100W lamp	P/N 97000004
Half-coupler clamp	P/N 91602005
Fuse (2 AT)	P/N 05020009

ORDERING INFORMATION

Mania DC2 US version	 P/N 90430021
Mania DC2 non-US version	 P/N 90430020



n and **Rhudtie-ski Sui al (San 2042** email:v**ew quisixes (vesatseae ut**s.co.uk



n and **Rhudtie-ski Sui al (San 2042** email:v**ew quisixes (vesatseae ut**s.co.uk



n and **Rhudtie-ski Sui al (San 2042** email:v**ew quisixes (vesatseae ut**s.co.uk



n and **Rhudtie-bl/stifel (53:4) 22342** email:v**ewquisixese@esntsexœnt**s.co.uk

